



Compressors! No compromises.



Products

Air Compressors

FAS-AT - with receiver + dryer

FAS 6-AT



FAS 6-AT

FAS 6-AT - Air cooled compressor with 200 liter air receiver + Dryer (5.5 kW); The FAS AT series is our complete solution for everyone who wants it simple. Compressor, tank and refrigerant dryer compactly installed in one system. Simply connect and get started immediately.

445 kg

Quantity

DATA SHEET



Height	1550 mm
Width	700 mm
Length	1500 mm
Air discharge (max.)	0.76 m3/min
Weight	445 kg
kW size	6 kW

MORE INFO

High efficient rotary screw compressor

Air cooled

Mounted on 200 Liter air receiver

Including refrigerated air dryer

Maintenance friendly design

V-belt drive

Operating pressure 8 to 10 bar(g)

Flowrate 0.70 m3/min - 0.76 m3/min

Motor nominal power 5,5 kW

With Driving motors classified in IE3 energy efficiency class, Protection Level IP 55, Insulation Class Type F

Dimensions (LxWxH): 1500 mm x 700 mm x 1550 mm

Weight: 445 kg

With pre- and post-filter and condensate drain

Picture similar to product



RELATED PRODUCTS



FAS 6

In Stock

Add to Compare

Contact

 firstAir is a brand of ALMiG Kompressoren GmbH

Adolf-Ehmann-Straße 2, 73257 Köngen, Germany

 Call us now: +49 (0)7024 – 9614 – 333



 Email: info@firstaircompressors.com

